



AGAMLED/CCT



Features

Ultra slim modern polycarbonate wall/ceiling light

Matt white finish to body and diffuser

CCT selectable between 3000K and 4000K

Rear fixing bracket and terminal housing for ease of installation

Exceeds performance of 38W TC-DD

IP54 rating and suitable for bathroom use

LED lifespan L70 54,000 hours

Non-dimmable

General Information


Lamp Type	LED
Colour / Finish	Matt White
IP Rating	IP54
IK Rating	IK09
Class Protection	2
Bathroom Zone	2
Internal / External	Internal / External
Surface / Recessed / Suspended	Surface
Warranty (Years)	3
CE Mark	Yes
Diameter (mm)	296
Depth (mm)	53
Accessories	AGAMLEDBZ/CH

Technical Information

Wattage	17W
Lumens Delivered	1847lm (Cool White), 1681lm (Warm White)
Lm/W	106lm (Cool White), 96lm (Warm White)
CRI	Ra 80
CCT	3000/4000K
Input	230V
Hertz	50/60Hz
Operating Temp	-5°C to 35°C

Technical Data - ETIM - Ceiling-/wall luminaire (EC002892)

Suitable for wall mounting	Yes
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for built-in mounting	No
Suitable for surface mounting	Yes
With light source	Yes
Suitable for number of lamps	1
Material housing	Plastic
Colour housing	White
Nominal voltage	230-230 V
Control gear included	Yes
No dim function	Yes
Degree of protection (IP)	IP54
Impact strength	IK09
Protection class	II
Suitable for emergency lighting	No
With movement sensor	No
With light sensor	No
Max. system power	17 W
Colour of light	White
Colour temperature	3000-4000 K
Colour rendering index CRI	80-89
Height/depth	53 mm
Length	296 mm



Datasheet generated from <https://onetimepim.com> last updated Monday, September 6, 2021 1:40:12 PM